



TicTok & Viivo Series




2026

TicTok & Viivo Series

TicTok Series

VS

Viivo Series



TicTok & Viivo Series

Mounting Options

Semi-Recessed

Mono Point

EVO Track

Curved EVO Track

Canali Edge EVO Track

Micro Track

Eurotype Track

Regular & Invisible Adapter

Dimension & Technical Data

	Ø 25			Ø 35		Ø 45		Ø 58		Ø 75	
	TicTok	TicTok & TicTok Long Arm	TicTok Twins	TicTok & TicTok Long Arm	TicTok Twins	TicTok & TicTok Long Arm TicTok Zoom & TicTok Zoom Long Arm		TicTok & TicTok Long Arm TicTok Zoom & TicTok Zoom Long Arm		TicTok & TicTok Long Arm TicTok Zoom & TicTok Zoom Long Arm	
	Viivo	Viivo & Viivo Long Arm	Viivo Twins	Viivo & Viivo Long Arm	Viivo Twins	Viivo & Viivo Long Arm Viivo Zoom & Viivo Zoom Long Arm		Viivo & Viivo Long Arm Viivo Zoom & Viivo Zoom Long Arm		Viivo & Viivo Long Arm Viivo Zoom & Viivo Zoom Long Arm	
CRI	CRI> 90			CRI> 90	CRI> 97	CRI> 90	CRI> 97	CRI> 90	CRI> 97	CRI> 90	CRI> 97
LED Power	3.4W			Up to 5W		5.5W	Up to 10W		Up to 15W	Up to 15W	
Max Nominal Lumen	370 lm			691 lm	620 lm	634 lm	606 lm	1101 lm	975 lm	1632 lm	1418 lm
Beam Angle	15° 20° 32°			5° 20° 24° 38°		15° to 47°	12° 18° 26° 38°		17° to 34°	12° 18° 26° 38°	
Certification											

Information in the chart above is related to 3000K. Wattage may change depending on beam angle and CCT combinations.
Please go to our website www.formalighting.com, for the complete product information.

TicTok Semi Recessed



- 1Y - Embossed Matt Total White
- 54 - Embossed Matt White
- 65 - Embossed Matt Black
- 27 - Chrome Polished

TicTok Semi-Recessed adds a touch of class to the space, the slender base with an integrated power supply brings extra flair and elegance.

TicTok Series focuses on eco-friendly design and modularity. TicTok's tool-free and interchangeable LED module facilitates design flexibility and ease of on-site maintenance.

The tool-free interchangeable LED module is available in Ø25, Ø35, Ø45, Ø58 and Ø75mm head sizes, trim, and trimless. It provides full versatility with tiltable 70° and rotatable 350° angles: an eco-friendly onsite maintainable solution.

For complete product information please visit our website.



TicTok & Viivo

Semi Recessed



For related accessories, please see page 58.

Viivo Semi Recessed

Viivo Semi-Recessed adds a touch of class to the space, the slender base with an integrated power supply brings extra flair and elegance.

Viivo Series focuses on eco-friendly design and modularity. Viivo's tool-free and interchangeable LED module facilitates design flexibility and ease of on-site maintenance.



The tool-free interchangeable LED module is available in Ø25, Ø35, Ø45, Ø58 and Ø75mm head sizes, trim, and trimless. It provides full versatility with tiltable 90° and rotatable 360° angles: an eco-friendly onsite maintainable solution.

For complete product information please visit our website.



- 65 - Embossed Matt Black
- 54 - Embossed Matt White
- 1Y - Embossed Matt Total White
- 1A - Chrome Gold
- 27 - Chrome Polished
- 79 - Brushed Aluminium
- 3G - Brushed Brass
- 3H - Antique Brass
- 3J - Blackened Brass

TicTok & Viivo Semi Recessed



TicTok Mono Point



- ☐ **1Y** - Embossed Matt Total White
- ☐ **54** - Embossed Matt White
- ☐ **65** - Embossed Matt Black
- ☐ **27** - Chrome Polished

The TicTok Mono Point is a revolutionary lighting system featuring interchangeable components that are seamlessly integrated into the ceiling with a minimalist design.



Choose from recessed trim, trimless, and surface mount. Mono Point is ideal for any ceiling type and is compatible with a range of Tictok spotlights Ø35mm, Ø45mm, Ø58mm and Ø75mm. Each light head tilts up to 70° and rotates 360° horizontally.

Mix and match to create your custom arrangement; whether mounted on the wall or ceiling, it adds a dramatic and refined touch to any space.

For complete product information please visit our website.

TicTok & Viivo

Mono Point



Fixture Spot light Diameter

		TicTok		Viivo	
Fixture Spot light Diameter	Ø35	9298	92A3		
	Ø45	9296	92A1	9297	92A2
	Ø58	9294	9299	9295	92A0
	Ø75	92B6	92B8	92B7	92B9

¹ Installation kits are ordered separately.
For related accessories, please see page 58.

Viivo Mono Point



- 65 - Embossed Matt Black
- 54 - Embossed Matt White
- 1Y - Embossed Matt Total White
- 1A - Chrome Gold
- 27 - Chrome Polished
- 79 - Brushed Aluminium
- 3G - Brushed Brass
- 3H - Antique Brass
- 3J - Blackened Brass



The Viivo Mono Point is a revolutionary lighting system featuring interchangeable components that are seamlessly integrated into the ceiling with a minimalist design.

Choose from recessed trim, trimless, and surface mount. Mono Point is ideal for any ceiling type and is compatible with a range of Viivo spotlights Ø35mm, Ø45mm, Ø58mm and Ø75mm. Each light head tilts up to 90° and rotates 360° horizontally.

Mix and match to create your custom arrangement; whether mounted on the wall or ceiling, it adds a dramatic and refined touch to any space.

For complete product information please visit our website.

Softtrack surface-mounted *with external wiring*



Art. 2J16 & 2J20

Available finishes for fixtures


65 54 1Y 1A 27 79 3G 3H 3J

Available colours for cables

Black White Red



Corner cable holder installation



This application example is using 4 bases & 1 cable holder:

- “L” type base x 2
- “45°” type base x 2
- Corner cable holder x 1

Code ordering example:

2 J 1 6 + 2 J 2 0 + 2 G 6 6 + 2 J 1 7


1

2

4

3

- 4 Cable code
- 3 Corner cable holder code
- 2 Base mounting code for “45°” type
- 1 Base mounting code for “L” type



2J20
“45°” type base

TicTok & Vivo Mono Point



TicTok & Viivo EVO 48V Track




- **65** - Embossed Matt Black
- **54** - Embossed Matt White
- **1Y** - Embossed Matt Total White
- **1A** - Chrome Gold
- **27** - Chrome Polished
- **79** - Brushed Aluminium
- **3G** - Brushed Brass
- **3H** - Antique Brass
- **3J** - Blackened Brass

The TicTok and Viivo series is an energy-efficient EVO track system. It features an integrated driver and is designed with a focus on modularity and eco-friendly performance. The tool-free, interchangeable LED modules enable flexible design and straightforward on-site maintenance. This system offers the perfect accent lighting for sustainable projects in retail, hospitality, and high-end residential environments.

The EVO Track system is available in surface, recessed, pendant, and deep recessed designs. It supports a variety of dimming control options, allowing for a high degree of design flexibility.

For complete product information please visit our website.

TicTok & Viivo *EVO* 48V Track System



For related accessories, please see page 58.



TicTok & Viivo EVO Track

TicTok & Viivo Curved EVO Track




- **65** - Embossed Matt Black
- **54** - Embossed Matt White
- **1Y** - Embossed Matt Total White
- **1A** - Chrome Gold
- **27** - Chrome Polished
- **79** - Brushed Aluminium
- **3G** - Brushed Brass
- **3H** - Antique Brass
- **3J** - Blackened Brass

The TicTok and Viivo series is an energy-efficient curved EVO track system, offering bending radii from 2 meters down to 450mm. This range ensures exceptional flexibility for custom curved designs while remaining fully compatible with the standard EVO track system.

The curved EVO track is available in surface, recessed, pendant, and deep recessed designs. It also supports CASAMBI wireless dimming, enabling seamless and integrated lighting control throughout the entire installation.

For complete product information please visit our website.

TicTok & Viivo Curved EVO 48V Track System



For related accessories, please see page 58.



TicTok & Vivo Curved EVO Track

TicTok & Viivo Canali Edge EVO Track



The TicTok and Viivo series on Canali Edge EVO features an integrated driver, which focuses on modularity and eco-friendliness. The tool-free interchangeable LED module facilitates design flexibility and ease of on-site maintenance. The Canali Edge EVO is a revolutionary edgeless lighting system featuring easy and clean installation, eliminating wired connections and gearboxes in the cove.

The Integrated EVO track system with CASAMBI and DALI control. Canali Edge EVO is best suited for discreet lighting applications to enhance the architectural detail.



- **65** - Embossed Matt Black
- **54** - Embossed Matt White
- **1Y** - Embossed Matt Total White
- **1A** - Chrome Gold
- **27** - Chrome Polished
- **79** - Brushed Aluminium
- **3G** - Brushed Brass
- **3H** - Antique Brass
- **3J** - Blackened Brass

TicTok & Viivo

Canali Edge EVO 48V

Track System



Fixture Spot light Diameter



TicTok

Viivo

Ø35



8443

8442

Ø45



8439

8436

Ø58



8440

8437

Ø75



8441

8438

For related accessories, please see page 58.



TicTok & Vivo Canali Edge Evo Track

TicTok & Viivo Micro Track



- **65** - Embossed Matt Black
- **54** - Embossed Matt White
- **1Y** - Embossed Matt Total White
- **1A** - Chrome Gold
- **27** - Chrome Polished
- **79** - Brushed Aluminium
- **3G** - Brushed Brass
- **3H** - Antique Brass
- **3J** - Blackened Brass

The TicTok and Viivo series is an energy-efficient micro track system featuring an integrated driver, emphasizing modular design and environmental sustainability. Its tool-free interchangeable LED module allows for adaptable designs and simple on-site maintenance. This system provides an ideal accent lighting solution for sustainable projects in retail, hospitality, and high-end residential spaces.

The Micro Track system offers both Casambi and DALI control compatibility. DALI dimmable fixtures can also be operated using Casambi DALI Broadcast.

For complete product information please visit our website.



TicTok & Viivo

Micro 48V

Track System

Fixture Spot light Diameter									
				<i>Twins</i>					
		TicTok	Viivo	TicTok	Viivo				
Ø25		T6B2	T6A8	T6J8	T6K6				
Ø35		T6B3	T6A9	T6J9	T6K7				
						TicTok	Viivo	TicTok	TicTok
Ø45		T662	T6B0			T6A6 	T6D3	T6B4	T6B6 
Ø58		T664	T6B1			T6A7 	T6D5	T6B5	T6B7 

For related accessories, please see page 58.

TicTok & Viivo Micro Track



TicTok & Viivo Eurotype Track & Invisible Adapter



The TicTok and Viivo Eurotype track series enables users to create unique lighting schemes and configurations. Energy-saving, track mounted on a main voltage 3-phase track system, with an integrated driver in the track adaptor - the focus is on eco-friendly design and modularity. The TicTok and Viivo Eurotype track series also includes an invisible adapter option, that emphasizes a compact design and easy current selection via dip switches. This system provides an excellent and flexible accent lighting solution for restaurants, residential spaces, retail, and galleries.

The Eurotype system offers both Casambi and DALI control compatibility. DALI dimmable fixtures can also be operated using Casambi DALI Broadcast.

For complete product information please visit our website.



-  **65** - Embossed Matt Black
-  **54** - Embossed Matt White
-  **1Y** - Embossed Matt Total White
-  **1A** - Chrome Gold
-  **27** - Chrome Polished
-  **79** - Brushed Aluminium
-  **3G** - Brushed Brass
-  **3H** - Antique Brass
-  **3J** - Blackened Brass

TicTok & Vivo Eurotype Track

TicTok & Viivo

Eurotype

Track System & Invisible Adapter





Fixture Spot light Diameter											
		TicTok	Viivo	TicTok	Viivo	TicTok	Viivo	TicTok	Viivo		
Ø45		6633	6675	6649		6676	6713	6719			
Ø58		6634	6660	6650		6677	6715	6721	6716		6722
Ø75		6635	6679	6636		6678	6717	6723	6718		6724


For related accessories, please see page 58.



TicTok & Viivo Invisible Adapter

Accessories

						
Product / Accessories	Coloured Glasses Diffuser Colours 25, 42, 55, 85	Opal Diffuser	Spread Lens Colour 41	Elliptical Beam Diffuser	Wide Texture Honeycomb Louvre Colour 10	Dense Texture Honeycomb Louvre Colour 10
TicTok 25 & Viivo 25	2G57	2G59	/	2G61	2G30	2G32
TicTok 35 & Viivo 35	2G58	2G60	/	2G62	2G31	2G33
TicTok 45 ¹ & Viivo 45 ¹	2F91	2F94	2F97	2F88	2F71	2F85
TicTok 58 ¹ & Viivo 58 ¹	2F92	2F95	2F98	2F89	2F83	2F86
TicTok 75 & Viivo 75	2F93	2F96	2F99	2F90	2F84	2F87

					
Product / Accessories	Barn Doors Colours 10, 11	Wallwasher Cone 45° Colours 10, 17	Hole Saw <i>For Mono Point Recessed mountings only</i>	Corner cable holder <i>For Softrack surface-mounted with external wiring only</i>	Decorative Metal cover <i>For Mono Point Recessed mountings only</i> Colours 65, 54, 1A, 27, 79, 3G, 3H, 3J
TicTok 35 & Viivo 35	/	/			
TicTok 45 ¹ & Viivo 45 ¹	2G04	2G07	2H95	2J17	2J18
TicTok 58 ¹ & Viivo 58 ¹	2G05	2G08			
TicTok 75 ¹ & Viivo 75 ¹	2G06	2G09			

Notes:

¹ No optical accessories are available for TicTok & Viivo 45, 58 & 75 Zoom series.

Symbols & Icons
Code system
Global presence

Symbols & Icons

48V input Class III	
CLASS II Luminaires of insulation Class II - With safety isolation, this means the tension conductions element are protected by additional isolation.	
The isolation of an earth wire it is not necessary and the connection to it is not allowed.	
Zoom	
CASAMBI	
OnBoard Dim	
Degree of Ingress Protection	
Interchangeable All sizes	
Softrack System	

Certification Icons

European Economic Area Declares that the product complies with all applicable European Union safety, health, and environmental protection requirements.	
Canada US Indicates that the product has been tested and meets Canadian and North American standards requirements standards for safety and performance.	
Korea Ensures the product complies with South Korean safety, health, and environmental standards for electronic equipment.	
China A mandatory safety mark required for many products sold or used in the Chinese market.	

LED CRI

90	CRI > 90
93	CRI > 93
97	CRI > 97
98	CRI > 98

CCT-LED Colour temperature








27	Warm White 2700K
30	Warm White 3000K
35	Warm White 3500K
40	Neutral White 4000K

Dimming Options


D0	No dimming
DA	DALI Dim
DC	CASAMBI
D1	0-10V Dim
DN	On Board Dim

For the details on how to order and specific product information, please go to our website: **www.formalighting.com**

Body Colour

		
1Y Embossed matt total white (RAL 9016)	54 Embossed matt white (RAL 9016)	65 Embossed matt black (RAL 9017)
		
27 Chrome Polished	1A Chrome Gold ¹	79 Brushed Aluminium ¹
		
3G Brushed Brass ¹	3H Antique Brass ¹	3J Blackened Brass ¹

Cable Colour for Softrack Surface Mounted

		
10 Black	11 White	55 Red

Notes:
¹ Finish available for Viivo fixtures only.

Global presence

Celebrating over 50 years of vision, dedication and innovation, formalighting's versatile and high-quality product offerings extends internationally via our headquarters in Hong Kong, London, Milan and Shanghai. Our well chosen and selected partners as well as our affiliated international offices broaden our global presence further in markets such as USA, Australia, Japan, South East Asia, India and the Middle East.

Through our commitment to growth and investment within formalighting's professional team, infrastructure and product ranges, we are able to provide increasing service to our global retail and hospitality clients as well as lighting designers and specifiers strengthening our position as a leading international supplier of innovative architectural lighting solutions and systems.

With over 50 years' experience in designing and manufacturing architectural lighting, formalighting's comprehensive portfolio offers a competitive range of European designed and expertly engineered products that carry CB, CE, CCC and UL certifications.

Furthermore formalighting's latest award-winning motorized range of track, pendant, and recessed fixtures, featuring remote-controlled adjustable pan and tilt, dim, dim to warm, tuneable white and beam shaping lens, are available worldwide incorporating the latest, most advanced lighting technologies.

MILAN

EUROPE HEADQUARTERS

Tel (+39) 02 9354 0300
Fax (+39) 02 9343 5117
E- mail info-europe@formalighting.com

HONG KONG

ASIA HEADQUARTERS

Tel (+ 852) 2516 6500
Fax (+ 852) 2516 6525
E- mail info-asia@formalighting.com

NEW YORK

LOCAL SALES OFFICE

E- mail info-us@formalighting.com

SHANGHAI

LOCAL SALES OFFICE

E- mail info-china@formalighting.com

LONDON

LOCAL SALES OFFICE

E- mail info-uk@formalighting.com

AUSTRALIA

LOCAL SALES OFFICE

Tel (+61) 488 567 388
E- mail info-australia@formalighting.com

INDIA

LOCAL SALES OFFICE

Tel (+91) 9686351257
E- mail info-india@formalighting.com

formalighting is constantly developing and improving its products therefore all information, drawings illustrations, specifications, photometric values in this catalogue are indicatives and shall not form part of any commitment by our company that reserves the right to change specifications without prior notification or public announcement.

Technical information on the installation-instruction has precedence over the information in the catalogue.

Our general terms and conditions shall apply notwithstanding any stipulation on the contrary to all the orders and agreement with formalighting. You can obtain a copy of these conditions on demand.

Publication date: August 2026
©Copyright formalighting

With thanks to all contributors for the realization of this catalogue

Designed by formalighting's Graphic Design Department

No part of this catalogue may be copied without written authorization of formalighting

formalighting

MILAN

-

LONDON

-

USA

-

HONG KONG

-

SHANGHAI

-

INDIA